

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"5930730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:54
L4	1978	graph\$4 with different with (multiple several two three few many four) with (variable statistic data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:55
L5	3250	graph\$4 with different with (multiple several two three few many four) with (variable statistic element set data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:55
L6	4017	graph\$4 with different with (multiple several two three few many four) with (variable statistic element measure\$5 set data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04
L7	546	6 with (different multiple several two three few many four) near2 (graph view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:56
L8	83	7 with display\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:36
L9	26	veeco.as. and graph	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:33
L10	12	7 with simultan\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:39

L11	24	7 and (simultan\$8 with display\$5 with graph\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:53
L12	14	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:48
L13	71	display with graph\$4 with (material near2 (proport\$4 characteristic\$4 value\$4 chang\$3 stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:30
L14	1178	display with graph\$4 with ((material part device element) near2 (proport\$4 characteristic\$4 value\$4 chang\$3 stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:51
L15	10	13 and (simultan\$8 with display\$5 with graph\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:53
L16	136	14 and (simultan\$8 with display\$5 with graph\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:51
L17	5	13 and (graph\$4 with ((different multiple several two three few many four) near2 (graph view)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:54
L18	15	13 and ((different multiple several two three few many four) near2 (graph view))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:54

L19	19	13 and ((different multiple several two three few many four) near2 (graph\$4 view))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:55
L20	2221	unit-under-test (unit adj under adj test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:02
L21	406	part adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:03
L22	11013	device adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:03
L23	18216	device-under-test DUT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:03
L24	23617	(L22 L23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:03
L25	25941	(20 L24 L21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04
L26	13075	(non-destructive nondestructive) near3 test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04

L27	165	25 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04
L29	13	27 and (different multiple several two three few many four) near2 (graph view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:20
L30	34	27 and (different multiple several two three few many four) with (graph\$4 view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:05
L31	86	27 and (determin\$5 measur\$5 find) with (propert\$3 characteristic value change stress strain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:32
L32	27	27 and (determin\$5 measur\$5 find) with (propert\$3 characteristic value change stress strain) with (different multiple several two three few many four)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:23
L35	1592	26 and (measure\$5 calculat\$4 determin\$6 find) with (different multiple several two three few many four) with (propert\$3 characteristic value change stress strain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:43
L36	27	27 and (measure\$5 calculat\$4 determin\$6 find) with (different multiple several two three few many four) with (propert\$3 characteristic value change stress strain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:43
L37	11	27 and ultrasound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:03

L39	20	(US-20010054034-\$ or US-20050099422-\$ or US-20050073910-\$ or US-20010043236-\$ or US-20030139886-\$ or US-20040236229-\$ or US-20030061212-\$ or US-20030071814-\$).did. or (US-6771798-\$ or US-6211906-\$ or US-6480194-\$ or US-6400366-\$ or US-6262740-\$ or US-5995108-\$ or US-6738682-\$ or US-6222540-\$ or US-6243615-\$ or US-6643613-\$ or US-6674430-\$ or US-6707454-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/21 19:28
L40	18	(US-20040179012-\$ or US-20050039170-\$ or US-20050035967-\$ or US-20050197806-\$ or US-20050091012-\$ or US-20030144868-\$ or US-20040073477-\$ or US-20030126054-\$ or US-20030031357-\$ or US-20040260178-\$).did. or (US-5894311-\$ or US-6243615-\$ or US-6826507-\$ or US-5684945-\$ or US-5506955-\$ or US-5895439-\$ or US-5940545-\$ or US-5952576-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/21 19:29
L41	0	(39 40) and isobar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:29
L42	0	27 and isobar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:29
L43	9	39 and (integration derivative calculus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:47

L44	4	40 and (integration deriative calculus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:48
L45	0	40 and (deriative calculus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:48
L46	0	39 and (deriative calculus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:48
L47	20	data with visualiz\$8 same (calculus deriative integrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:50
L48	2353	data with visualiz\$8 and (function with deriative derive gradient curl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:51
L49	332	data with visualiz\$8 and (function with (deriative derive gradient curl))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:51
L50	17	data with visualiz\$8 same (function with (deriative derive gradient curl))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 19:51
L51	2002	(generat\$4 visualiz\$7 creat\$5) with surface near2 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:02

L52	34	51 same (position\$5 with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:03
L53	21	27 and (x-ray xray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:38
L54	8	27 and stress and strain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:42
L55	595	26 and measur\$6 with stress	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:43
L56	0	26 and (measur\$6 near3 (strain stress shear) with percent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:43
L57	8	26 and (measur\$6 near3 (strain stress shear)) and FWHM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:45
L58	522	26 and (measur\$6 near3 (strain stress shear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:45
L59	131	(measur\$6 with material near4 (propert\$4 characteristic\$4)) and (report with (propert\$4 characteristic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:53

L60	8	(measur\$6 with material near4 (proptert\$4 characteristic\$4)) and ((generat\$4 creat\$4) with report with (proptert\$4 characteristic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:54
S1	1006	345/440.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:50
S2	4	("6466211" "6085202").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:09
S3	406	part adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:10
S4	11013	device adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:10
S5	18216	device-under-test DUT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:49
S6	23617	(S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:49
S7	16	("6460012" "5963140" "20040138558" "5408596" "6587108" "6100900" "5896673" "5894311").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:07

S8	2	"6721393".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:07
S9	8	("5519219" "5148025" "6665577" "6665972").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:12
S10	51	345/440.ccls. and energy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:36
S11	2	"6085202".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:44
S12	20	(US-20010054034-\$ or US-20050099422-\$ or US-20050073910-\$ or US-20010043236-\$ or US-20030139886-\$ or US-20040236229-\$ or US-20030061212-\$ or US-20030071814-\$).did. or (US-6771798-\$ or US-6211906-\$ or US-6480194-\$ or US-6400366-\$ or US-6262740-\$ or US-5995108-\$ or US-6738682-\$ or US-6222540-\$ or US-6243615-\$ or US-6643613-\$ or US-6674430-\$ or US-6707454-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/20 17:47
S13	10069	data with visualiz\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:47
S14	130	S13 same (multiple several two three few many four) with graph	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:33

S15	406	part adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:48
S16	11013	device adj under adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:48
S17	18216	device-under-test DUT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:48
S18	23617	(S16 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:48
S19	23986	(S15 S18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:49
S20	2629	S19 same (energy xray x-ray electromagnetic radiation laser RF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:51
S21	311	S19 with (apply\$3 shin\$3 beam\$3 focus\$4 transmit\$4) with (energy xray x-ray electromagnetic radiation laser RF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:52
S22	511	S19 with (apply\$3 shin\$3 beam\$3 focus\$4 transmit\$4) with (energy xray x-ray electromagnetic radiation laser RF light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:52

S23	512	S19 with (apply\$3 shin\$3 beam\$3 focus\$4 transmit\$4) with (energy xray x-ray electromagnetic radiation laser RF light infrared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:52
S24	76	S19 with (apply\$3) with (energy xray x-ray electromagnetic radiation laser RF beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:53
S25	21	S24 and graph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:56
S27	13075	(non-destructive nondestructive) near3 test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:00
S28	2094	S27 with (energy xray x-ray electromagnetic radiation laser RF beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:00
S29	15	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:01
S30	2	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:01